

| CPT ¹ | ADA ² | MOD | WORK | Non-facility PE | Facility PE | MPE | END | | | |
|--------------------|---------------------|----------|-------|-----------------|-------------|------|------|-------|------|---|
| HCPCS ³ | STATUS ⁴ | MODIFIER | LEVEL | RVU | RVU | RVU | RVU | C.F. | DATE | SHORT DESCRIPTION (Refer to ADA, HCPCS) |
| 01732 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01740 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01742 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01744 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01756 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01758 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01760 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01770 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01772 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01780 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01782 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01810 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01820 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01829 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01830 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01832 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01840 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01842 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01844 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01850 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01852 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01860 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01905 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01916 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01920 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01922 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01924 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01925 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01926 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01930 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01931 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01932 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01933 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01951 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01952 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01953 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01958 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01960 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01961 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01962 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01963 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01964 | D | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01967 | S | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01968 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01969 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01990 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01991 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01992 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01995 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01996 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 01999 | C | | 55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | |
| 10021 | C | | 31 | 1.27 | 2.20 | 0.54 | 0.08 | 49.84 | | |
| 10021 | C | TC | | 0.00 | 0.47 | 0.47 | 0.03 | 49.84 | | |
| 10021 | C | 26 | | 1.27 | 0.55 | 0.55 | 0.07 | 49.84 | | |
| 10022 | C | | 31 | 1.27 | 2.61 | 0.42 | 0.06 | 49.84 | | |

| CPT ¹ | ADA ² | MOD | WORK | Non-facility | Facility | MPE | END | | | |
|------------------|---------------------|----------|-------|--------------|----------|------|------|-------|------|---|
| HCP ³ | STATUS ⁴ | MODIFIER | LEVEL | RVU | PE | PE | RVU | C.F. | DATE | SHORT DESCRIPTION (Refer to ADA, HCPCS) |
| 10022 | C | TC | | 0.00 | 0.63 | 0.63 | 0.03 | 49.84 | | |
| 10022 | C | 26 | | 1.27 | 0.48 | 0.48 | 0.05 | 49.84 | | |
| 10040 | C | | 31 | 1.18 | 1.02 | 0.68 | 0.06 | 49.84 | | |
| 10060 | C | | 31 | 1.17 | 1.20 | 0.94 | 0.10 | 49.84 | | |
| 10061 | C | | 31 | 2.40 | 1.81 | 1.51 | 0.21 | 49.84 | | |
| 10080 | C | | 31 | 1.17 | 3.13 | 1.14 | 0.11 | 49.84 | | |
| 10081 | C | | 31 | 2.45 | 4.11 | 1.51 | 0.23 | 49.84 | | |
| 10120 | C | | 31 | 1.22 | 1.46 | 0.41 | 0.12 | 49.84 | | |
| 10121 | C | | 31 | 2.69 | 3.33 | 1.88 | 0.30 | 49.84 | | |
| 10140 | C | | 31 | 1.53 | 1.51 | 0.91 | 0.18 | 49.84 | | |
| 10160 | C | | 31 | 1.20 | 0.73 | 0.46 | 0.13 | 49.84 | | |
| 10180 | S | | 31 | 2.25 | 3.25 | 2.08 | 0.30 | 49.84 | | |
| 11000 | C | | 31 | 0.60 | 0.57 | 0.22 | 0.06 | 49.84 | | |
| 11001 | C | | 21 | 0.30 | 0.23 | 0.11 | 0.02 | 49.84 | | |
| 11010 | C | | 31 | 4.19 | 6.74 | 2.33 | 0.54 | 49.84 | | |
| 11011 | S | | 31 | 4.94 | 8.03 | 2.37 | 0.64 | 49.84 | | |
| 11012 | S | | 31 | 6.87 | 12.01 | 3.86 | 1.07 | 49.84 | | |
| 11040 | C | | 31 | 0.50 | 0.51 | 0.21 | 0.06 | 49.84 | | |
| 11041 | C | | 31 | 0.82 | 0.65 | 0.33 | 0.07 | 49.84 | | |
| 11042 | C | | 31 | 1.12 | 0.97 | 0.45 | 0.11 | 49.84 | | |
| 11043 | C | | 31 | 2.38 | 3.41 | 2.61 | 0.29 | 49.84 | | |
| 11044 | C | | 31 | 3.06 | 4.50 | 3.77 | 0.41 | 49.84 | | |
| 11055 | C | | 31 | 0.43 | 0.55 | 0.17 | 0.02 | 49.84 | | |
| 11056 | C | | 31 | 0.61 | 0.63 | 0.24 | 0.04 | 49.84 | | |
| 11057 | C | | 31 | 0.79 | 0.73 | 0.31 | 0.05 | 49.84 | | |
| 11100 | C | | 31 | 0.81 | 1.26 | 0.37 | 0.05 | 49.84 | | |
| 11101 | C | | 21 | 0.41 | 0.34 | 0.19 | 0.02 | 49.84 | | |
| 11200 | C | | 31 | 0.77 | 1.06 | 0.77 | 0.05 | 49.84 | | |
| 11201 | C | | 21 | 0.29 | 0.16 | 0.12 | 0.02 | 49.84 | | |
| 11300 | C | | 30 | 0.51 | 1.00 | 0.22 | 0.04 | 49.84 | | |
| 11301 | C | | 30 | 0.85 | 1.12 | 0.37 | 0.05 | 49.84 | | |
| 11302 | C | | 30 | 1.05 | 1.31 | 0.46 | 0.06 | 49.84 | | |
| 11303 | C | | 30 | 1.24 | 1.59 | 0.52 | 0.07 | 49.84 | | |
| 11305 | C | | 30 | 0.67 | 0.84 | 0.27 | 0.05 | 49.84 | | |
| 11306 | C | | 30 | 0.99 | 1.11 | 0.41 | 0.06 | 49.84 | | |
| 11307 | C | | 30 | 1.14 | 1.29 | 0.49 | 0.06 | 49.84 | | |
| 11308 | C | | 30 | 1.41 | 1.45 | 0.59 | 0.08 | 49.84 | | |
| 11310 | C | | 30 | 0.73 | 1.12 | 0.33 | 0.05 | 49.84 | | |
| 11311 | C | | 30 | 1.05 | 1.24 | 0.48 | 0.06 | 49.84 | | |
| 11312 | C | | 30 | 1.20 | 1.44 | 0.55 | 0.07 | 49.84 | | |
| 11313 | C | | 30 | 1.62 | 1.82 | 0.72 | 0.11 | 49.84 | | |
| 11400 | C | | 31 | 0.85 | 2.00 | 0.89 | 0.07 | 49.84 | | |
| 11401 | C | | 31 | 1.23 | 2.07 | 1.03 | 0.11 | 49.84 | | |
| 11402 | C | | 31 | 1.51 | 2.25 | 1.10 | 0.14 | 49.84 | | |
| 11403 | C | | 31 | 1.79 | 2.42 | 1.33 | 0.19 | 49.84 | | |
| 11404 | C | | 31 | 2.06 | 2.73 | 1.41 | 0.22 | 49.84 | | |
| 11406 | C | | 31 | 2.76 | 3.10 | 1.67 | 0.30 | 49.84 | | |
| 11420 | C | | 31 | 0.98 | 1.77 | 0.94 | 0.10 | 49.84 | | |
| 11421 | C | | 31 | 1.42 | 2.08 | 1.12 | 0.13 | 49.84 | | |
| 11422 | C | | 31 | 1.63 | 2.27 | 1.34 | 0.17 | 49.84 | | |
| 11423 | C | | 31 | 2.01 | 2.61 | 1.46 | 0.21 | 49.84 | | |
| 11424 | C | | 31 | 2.43 | 2.82 | 1.61 | 0.25 | 49.84 | | |
| 11426 | C | | 31 | 3.77 | 3.52 | 2.11 | 0.41 | 49.84 | | |
| 11440 | C | | 31 | 1.06 | 2.28 | 1.33 | 0.10 | 49.84 | | |
| 11441 | C | | 31 | 1.48 | 2.40 | 1.51 | 0.13 | 49.84 | | |

| CPT ¹ | ADA ² | MOD | WORK | Non-facility | Facility | MPE | END | | | |
|--------------------|---------------------|----------|-------|--------------|----------|-------|------|-------|------|---|
| HCPGS ³ | STATUS ⁴ | MODIFIER | LEVEL | RVU | PE | PE | RVU | C.F. | DATE | SHORT DESCRIPTION (Refer to ADA, HCPCS) |
| 11442 | C | | 31 | 1.72 | 2.59 | 1.58 | 0.17 | 49.84 | | |
| 11443 | C | | 31 | 2.29 | 2.97 | 1.83 | 0.22 | 49.84 | | |
| 11444 | C | | 31 | 3.14 | 3.54 | 2.19 | 0.30 | 49.84 | | |
| 11446 | C | | 31 | 4.48 | 4.11 | 2.78 | 0.36 | 49.84 | | |
| 11450 | C | | 31 | 2.73 | 5.11 | 2.03 | 0.31 | 49.84 | | |
| 11451 | C | | 30 | 3.94 | 6.74 | 2.56 | 0.47 | 49.84 | | |
| 11462 | C | | 30 | 2.51 | 5.20 | 2.02 | 0.28 | 49.84 | | |
| 11463 | C | | 30 | 3.94 | 6.96 | 2.69 | 0.48 | 49.84 | | |
| 11470 | C | | 31 | 3.25 | 5.14 | 2.27 | 0.36 | 49.84 | | |
| 11471 | C | | 30 | 4.40 | 6.85 | 2.78 | 0.48 | 49.84 | | |
| 11600 | C | | 31 | 1.31 | 2.65 | 0.98 | 0.11 | 49.84 | | |
| 11601 | C | | 31 | 1.80 | 2.72 | 1.23 | 0.14 | 49.84 | | |
| 11602 | C | | 31 | 1.95 | 2.86 | 1.27 | 0.16 | 49.84 | | |
| 11603 | C | | 31 | 2.19 | 3.11 | 1.33 | 0.19 | 49.84 | | |
| 11604 | C | | 31 | 2.40 | 3.41 | 1.40 | 0.22 | 49.84 | | |
| 11606 | C | | 31 | 3.42 | 4.11 | 1.75 | 0.34 | 49.84 | | |
| 11620 | C | | 31 | 1.19 | 2.62 | 0.96 | 0.11 | 49.84 | | |
| 11621 | C | | 31 | 1.76 | 2.73 | 1.25 | 0.14 | 49.84 | | |
| 11622 | C | | 31 | 2.09 | 3.00 | 1.39 | 0.18 | 49.84 | | |
| 11623 | C | | 31 | 2.61 | 3.36 | 1.59 | 0.24 | 49.84 | | |
| 11624 | C | | 31 | 3.06 | 3.79 | 1.78 | 0.30 | 49.84 | | |
| 11626 | C | | 31 | 4.29 | 4.70 | 2.40 | 0.42 | 49.84 | | |
| 11640 | C | | 31 | 1.35 | 2.69 | 1.12 | 0.12 | 49.84 | | |
| 11641 | C | | 31 | 2.16 | 3.06 | 1.54 | 0.18 | 49.84 | | |
| 11642 | C | | 31 | 2.59 | 3.44 | 1.73 | 0.22 | 49.84 | | |
| 11643 | C | | 31 | 3.10 | 3.85 | 1.96 | 0.29 | 49.84 | | |
| 11644 | C | | 31 | 4.02 | 4.74 | 2.47 | 0.40 | 49.84 | | |
| 11646 | C | | 31 | 5.94 | 5.81 | 3.49 | 0.55 | 49.84 | | |
| 11719 | C | | 31 | 0.17 | 0.25 | 0.07 | 0.01 | 49.84 | | |
| 11720 | C | | 21 | 0.32 | 0.34 | 0.13 | 0.02 | 49.84 | | |
| 11721 | C | | 21 | 0.54 | 0.43 | 0.21 | 0.05 | 49.84 | | |
| 11730 | C | | 31 | 1.13 | 1.02 | 0.43 | 0.11 | 49.84 | | |
| 11732 | C | | 21 | 0.57 | 0.43 | 0.22 | 0.06 | 49.84 | | |
| 11740 | C | | 31 | 0.37 | 0.85 | 0.14 | 0.04 | 49.84 | | |
| 11750 | C | | 31 | 1.86 | 2.13 | 1.72 | 0.19 | 49.84 | | |
| 11752 | C | | 31 | 2.67 | 2.95 | 2.95 | 0.40 | 49.84 | | |
| 11755 | C | | 30 | 1.31 | 1.10 | 0.54 | 0.07 | 49.84 | | |
| 11760 | C | | 31 | 1.58 | 1.84 | 1.21 | 0.21 | 49.84 | | |
| 11762 | C | | 31 | 2.89 | 2.27 | 1.83 | 0.39 | 49.84 | | |
| 11765 | C | | 31 | 0.69 | 1.14 | 0.52 | 0.06 | 49.84 | | |
| 11770 | C | | 31 | 2.61 | 3.52 | 1.51 | 0.29 | 49.84 | | |
| 11771 | C | | 31 | 5.73 | 5.70 | 3.33 | 0.68 | 49.84 | | |
| 11772 | C | | 31 | 6.97 | 7.17 | 3.87 | 0.82 | 49.84 | | |
| 11900 | C | | 31 | 0.52 | 0.65 | 0.22 | 0.02 | 49.84 | | |
| 11901 | C | | 31 | 0.80 | 0.66 | 0.36 | 0.04 | 49.84 | | |
| 11920 | C | | 30 | 1.61 | 1.99 | 0.78 | 0.21 | 49.84 | | |
| 11921 | C | | 30 | 1.93 | 2.36 | 0.98 | 0.25 | 49.84 | | |
| 11922 | C | | 20 | 0.49 | 0.37 | 0.25 | 0.06 | 49.84 | | |
| 11950 | C | | 30 | 0.84 | 1.15 | 0.40 | 0.07 | 49.84 | | |
| 11951 | C | | 30 | 1.19 | 1.50 | 0.51 | 0.12 | 49.84 | | |
| 11952 | C | | 30 | 1.69 | 1.87 | 0.68 | 0.21 | 49.84 | | |
| 11954 | C | | 30 | 1.85 | 2.44 | 0.91 | 0.23 | 49.84 | | |
| 11960 | C | | 31 | 9.07 | 10.52 | 10.52 | 1.06 | 49.84 | | |
| 11970 | C | | 31 | 7.05 | 6.10 | 6.10 | 0.93 | 49.84 | | |
| 11971 | C | | 30 | 2.13 | 7.10 | 4.76 | 0.25 | 49.84 | | |

| CPT ¹ | ADA ² | MOD | WORK | Non-facility | Facility | MPE | END | | | |
|--------------------|---------------------|----------|-------|--------------|----------|------|------|-------|------|---|
| HCPDS ³ | STATUS ⁴ | MODIFIER | LEVEL | RVU | PE | PE | RVU | C.F. | DATE | SHORT DESCRIPTION (Refer to ADA, HCPCS) |
| 11975 | D | | 26 | 1.48 | 1.42 | 0.57 | 0.17 | 49.84 | | |
| 11976 | D | | 30 | 1.78 | 1.70 | 0.68 | 0.21 | 49.84 | | |
| 11977 | D | | 26 | 3.30 | 2.27 | 1.26 | 0.37 | 49.84 | | |
| 11980 | D | | 31 | 1.48 | 1.10 | 0.54 | 0.12 | 49.84 | | |
| 11981 | C | | 31 | 1.48 | 1.74 | 0.68 | 0.17 | 49.84 | | |
| 11982 | C | | 31 | 1.78 | 1.97 | 0.84 | 0.21 | 49.84 | | |
| 11983 | C | | 31 | 3.30 | 2.32 | 1.47 | 0.37 | 49.84 | | |
| 12001 | C | | 31 | 1.70 | 2.00 | 0.49 | 0.16 | 49.84 | | |
| 12002 | C | | 31 | 1.86 | 2.06 | 0.93 | 0.18 | 49.84 | | |
| 12004 | C | | 31 | 2.24 | 2.36 | 1.05 | 0.21 | 49.84 | | |
| 12005 | C | | 31 | 2.86 | 2.85 | 1.23 | 0.28 | 49.84 | | |
| 12006 | C | | 31 | 3.66 | 3.43 | 1.54 | 0.37 | 49.84 | | |
| 12007 | C | | 31 | 4.11 | 3.86 | 1.84 | 0.45 | 49.84 | | |
| 12011 | C | | 31 | 1.76 | 2.16 | 0.50 | 0.17 | 49.84 | | |
| 12013 | C | | 31 | 1.99 | 2.31 | 0.97 | 0.19 | 49.84 | | |
| 12014 | C | | 31 | 2.46 | 2.61 | 1.09 | 0.22 | 49.84 | | |
| 12015 | C | | 31 | 3.19 | 3.19 | 1.28 | 0.29 | 49.84 | | |
| 12016 | C | | 31 | 3.92 | 3.60 | 1.56 | 0.39 | 49.84 | | |
| 12017 | C | | 30 | 4.70 | 1.91 | 1.91 | 0.47 | 49.84 | | |
| 12018 | C | | 38 | 5.52 | 2.27 | 2.27 | 0.55 | 49.84 | | |
| 12020 | C | | 31 | 2.62 | 2.65 | 1.75 | 0.29 | 49.84 | | |
| 12021 | C | | 31 | 1.84 | 1.74 | 1.41 | 0.23 | 49.84 | | |
| 12031 | C | | 31 | 2.15 | 2.31 | 0.81 | 0.18 | 49.84 | | |
| 12032 | C | | 31 | 2.47 | 3.88 | 1.84 | 0.18 | 49.84 | | |
| 12034 | C | | 31 | 2.92 | 3.17 | 1.41 | 0.25 | 49.84 | | |
| 12035 | C | | 31 | 3.42 | 5.26 | 2.18 | 0.36 | 49.84 | | |
| 12036 | C | | 31 | 4.04 | 5.36 | 2.38 | 0.49 | 49.84 | | |
| 12037 | C | | 38 | 4.66 | 6.41 | 2.78 | 0.59 | 49.84 | | |
| 12041 | C | | 31 | 2.37 | 2.47 | 0.87 | 0.21 | 49.84 | | |
| 12042 | C | | 31 | 2.74 | 3.21 | 1.37 | 0.21 | 49.84 | | |
| 12044 | C | | 31 | 3.14 | 3.20 | 1.56 | 0.29 | 49.84 | | |
| 12045 | C | | 31 | 3.63 | 3.67 | 2.17 | 0.41 | 49.84 | | |
| 12046 | C | | 30 | 4.24 | 6.57 | 2.76 | 0.48 | 49.84 | | |
| 12047 | C | | 38 | 4.64 | 6.42 | 3.10 | 0.49 | 49.84 | | |
| 12051 | C | | 31 | 2.47 | 3.23 | 1.36 | 0.19 | 49.84 | | |
| 12052 | C | | 31 | 2.77 | 3.17 | 1.34 | 0.21 | 49.84 | | |
| 12053 | C | | 31 | 3.12 | 3.22 | 1.50 | 0.24 | 49.84 | | |
| 12054 | C | | 31 | 3.45 | 3.54 | 1.60 | 0.30 | 49.84 | | |
| 12055 | C | | 31 | 4.42 | 4.54 | 2.14 | 0.42 | 49.84 | | |
| 12056 | C | | 30 | 5.23 | 6.76 | 3.07 | 0.52 | 49.84 | | |
| 12057 | C | | 38 | 5.95 | 6.10 | 3.76 | 0.60 | 49.84 | | |
| 13100 | C | | 31 | 3.12 | 3.51 | 1.78 | 0.25 | 49.84 | | |
| 13101 | C | | 31 | 3.91 | 3.75 | 2.22 | 0.27 | 49.84 | | |
| 13102 | C | | 31 | 1.24 | 0.74 | 0.57 | 0.12 | 49.84 | | |
| 13120 | C | | 31 | 3.30 | 3.61 | 1.82 | 0.28 | 49.84 | | |
| 13121 | C | | 31 | 4.32 | 3.97 | 2.32 | 0.30 | 49.84 | | |
| 13122 | C | | 31 | 1.44 | 0.87 | 0.63 | 0.14 | 49.84 | | |
| 13131 | C | | 31 | 3.78 | 3.88 | 2.14 | 0.30 | 49.84 | | |
| 13132 | C | | 31 | 5.94 | 4.68 | 3.17 | 0.39 | 49.84 | | |
| 13133 | C | | 31 | 2.19 | 1.19 | 1.03 | 0.21 | 49.84 | | |
| 13150 | C | | 31 | 3.80 | 5.50 | 2.61 | 0.35 | 49.84 | | |
| 13151 | C | | 31 | 4.44 | 5.40 | 3.03 | 0.34 | 49.84 | | |
| 13152 | C | | 31 | 6.32 | 6.08 | 3.93 | 0.46 | 49.84 | | |
| 13153 | C | | 31 | 2.38 | 1.34 | 1.14 | 0.22 | 49.84 | | |
| 13160 | S | | 31 | 10.46 | 7.14 | 7.14 | 1.43 | 49.84 | | |

| CPT ¹ | ADA ² | MOD | WORK | Non-facility | Facility | MPE | END | | | |
|--------------------|---------------------|----------|-------|--------------|----------|-------|------|-------|------|---|
| HCPDS ³ | STATUS ⁴ | MODIFIER | LEVEL | RVU | PE | PE | RVU | C.F. | DATE | SHORT DESCRIPTION (Refer to ADA, HCPCS) |
| 14000 | S | | 31 | 5.88 | 8.52 | 5.12 | 0.55 | 49.84 | | |
| 14001 | S | | 31 | 8.46 | 9.94 | 6.59 | 0.78 | 49.84 | | |
| 14020 | S | | 31 | 6.58 | 9.17 | 5.99 | 0.60 | 49.84 | | |
| 14021 | S | | 31 | 10.04 | 10.45 | 7.74 | 0.83 | 49.84 | | |
| 14040 | S | | 31 | 7.86 | 8.25 | 6.86 | 0.66 | 49.84 | | |
| 14041 | S | | 31 | 11.47 | 10.64 | 8.68 | 0.86 | 49.84 | | |
| 14060 | S | | 31 | 8.49 | 9.08 | 7.69 | 0.71 | 49.84 | | |
| 14061 | S | | 31 | 12.27 | 11.66 | 9.51 | 0.90 | 49.84 | | |
| 14300 | S | | 31 | 11.74 | 11.19 | 9.17 | 1.06 | 49.84 | | |
| 14350 | S | | 30 | 9.60 | 7.12 | 7.12 | 1.31 | 49.84 | | |
| 15000 | S | | 21 | 3.99 | 3.81 | 2.20 | 0.45 | 49.84 | | |
| 15001 | C | | 30 | 1.00 | 1.36 | 0.41 | 0.13 | 49.84 | | |
| 15050 | S | | 31 | 4.29 | 5.97 | 4.74 | 0.55 | 49.84 | | |
| 15100 | S | | 31 | 9.04 | 12.63 | 7.80 | 1.13 | 49.84 | | |
| 15101 | S | | 21 | 1.72 | 3.83 | 1.66 | 0.22 | 49.84 | | |
| 15120 | S | | 31 | 9.82 | 10.78 | 7.77 | 1.09 | 49.84 | | |
| 15121 | S | | 21 | 2.67 | 4.58 | 1.87 | 0.33 | 49.84 | | |
| 15200 | S | | 31 | 8.02 | 10.71 | 6.00 | 0.88 | 49.84 | | |
| 15201 | S | | 20 | 1.32 | 1.04 | 0.62 | 0.17 | 49.84 | | |
| 15220 | S | | 31 | 7.86 | 10.59 | 6.43 | 0.82 | 49.84 | | |
| 15221 | S | | 21 | 1.19 | 0.91 | 0.56 | 0.14 | 49.84 | | |
| 15240 | S | | 31 | 9.03 | 10.15 | 7.65 | 0.96 | 49.84 | | |
| 15241 | S | | 21 | 1.86 | 1.45 | 0.92 | 0.21 | 49.84 | | |
| 15260 | S | | 31 | 10.04 | 9.88 | 8.60 | 0.76 | 49.84 | | |
| 15261 | S | | 21 | 2.23 | 2.72 | 1.42 | 0.21 | 49.84 | | |
| 15342 | C | | 31 | 1.00 | 1.83 | 0.55 | 0.11 | 49.84 | | |
| 15343 | C | | 21 | 0.25 | 0.27 | 0.10 | 0.02 | 49.84 | | |
| 15350 | S | | 31 | 3.99 | 8.22 | 4.83 | 0.51 | 49.84 | | |
| 15351 | C | | 21 | 1.00 | 0.94 | 0.39 | 0.13 | 49.84 | | |
| 15400 | S | | 31 | 3.99 | 4.18 | 4.10 | 0.48 | 49.84 | | |
| 15401 | C | | 21 | 1.00 | 1.22 | 0.44 | 0.13 | 49.84 | | |
| 15570 | S | | 31 | 9.20 | 9.17 | 6.68 | 1.16 | 49.84 | | |
| 15572 | S | | 31 | 9.26 | 8.38 | 6.25 | 1.12 | 49.84 | | |
| 15574 | S | | 31 | 9.87 | 8.79 | 6.95 | 1.11 | 49.84 | | |
| 15576 | S | | 31 | 8.68 | 9.39 | 6.42 | 0.87 | 49.84 | | |
| 15600 | S | | 30 | 1.91 | 7.04 | 2.70 | 0.23 | 49.84 | | |
| 15610 | S | | 30 | 2.42 | 3.73 | 3.03 | 0.30 | 49.84 | | |
| 15620 | S | | 31 | 2.94 | 7.46 | 3.67 | 0.34 | 49.84 | | |
| 15630 | S | | 31 | 3.27 | 6.84 | 3.93 | 0.34 | 49.84 | | |
| 15650 | S | | 30 | 3.96 | 6.70 | 4.02 | 0.43 | 49.84 | | |
| 15732 | S | | 38 | 17.81 | 18.05 | 12.22 | 1.81 | 49.84 | | |
| 15734 | S | | 38 | 17.76 | 17.84 | 12.34 | 2.30 | 49.84 | | |
| 15736 | S | | 31 | 16.25 | 18.16 | 11.22 | 2.15 | 49.84 | | |
| 15738 | S | | 38 | 17.89 | 17.93 | 11.74 | 2.35 | 49.84 | | |
| 15740 | S | | 31 | 10.23 | 9.81 | 7.88 | 0.75 | 49.84 | | |
| 15750 | S | | 30 | 11.39 | 9.04 | 9.04 | 1.39 | 49.84 | | |
| 15756 | S | | 38 | 35.18 | 20.69 | 20.69 | 3.75 | 49.84 | | |
| 15757 | S | | 38 | 35.18 | 21.73 | 21.73 | 4.06 | 49.84 | | |
| 15758 | S | | 38 | 35.05 | 21.72 | 21.72 | 4.25 | 49.84 | | |
| 15760 | S | | 31 | 8.73 | 9.71 | 7.02 | 0.87 | 49.84 | | |
| 15770 | S | | 38 | 7.51 | 6.69 | 6.69 | 0.94 | 49.84 | | |
| 15775 | S | | 30 | 3.95 | 2.78 | 1.32 | 0.52 | 49.84 | | |
| 15776 | S | | 30 | 5.53 | 5.39 | 2.81 | 0.72 | 49.84 | | |
| 15780 | C | | 30 | 7.28 | 7.07 | 7.07 | 0.49 | 49.84 | | |
| 15781 | C | | 31 | 4.84 | 5.35 | 5.35 | 0.33 | 49.84 | | |

| CPT ¹ | ADA ² | | | | Non-facility | Facility | | | | END | |
|--------------------|---------------------|----------|-----------|----------|--------------|----------|---------|-------|------|---|--|
| HCPCS ³ | STATUS ⁴ | MODIFIER | MOD LEVEL | WORK RVU | PE RVU | PE RVU | MPE RVU | C.F. | DATE | SHORT DESCRIPTION (Refer to ADA, HCPCS) | |
| 15782 | C | | 30 | 4.31 | 4.30 | 4.30 | 0.25 | 49.84 | | | |
| 15783 | C | | 30 | 4.28 | 4.92 | 4.17 | 0.31 | 49.84 | | | |
| 15786 | C | | 31 | 2.03 | 1.63 | 1.27 | 0.13 | 49.84 | | | |
| 15787 | C | | 21 | 0.33 | 0.32 | 0.16 | 0.02 | 49.84 | | | |
| 15788 | C | | 31 | 2.09 | 3.34 | 2.27 | 0.13 | 49.84 | | | |
| 15789 | C | | 31 | 4.91 | 6.39 | 4.91 | 0.33 | 49.84 | | | |
| 15792 | S | | 30 | 1.86 | 3.16 | 2.76 | 0.12 | 49.84 | | | |
| 15793 | C | | 30 | 3.73 | 4.14 | 4.14 | 0.21 | 49.84 | | | |
| 15810 | C | | 30 | 4.73 | 3.87 | 3.87 | 0.51 | 49.84 | | | |
| 15811 | C | | 30 | 5.38 | 6.31 | 5.52 | 0.63 | 49.84 | | | |
| 15819 | D | | 30 | 9.37 | 7.20 | 7.20 | 0.93 | 49.84 | | | |
| 15820 | D | | 36 | 5.14 | 6.85 | 5.34 | 0.36 | 49.84 | | | |
| 15821 | D | | 36 | 5.71 | 7.23 | 5.52 | 0.37 | 49.84 | | | |
| 15822 | D | | 33 | 4.44 | 5.80 | 4.36 | 0.27 | 49.84 | | | |
| 15823 | C | | 33 | 7.04 | 7.79 | 6.24 | 0.39 | 49.84 | | | |
| 15824 | D | | 36 | 0.00 | 0.00 | 0.00 | 0.00 | 49.84 | | | |
| 15825 | D | | 36 | 0.00 | 0.00 | 0.00 | 0.00 | 49.84 | | | |